References:

1. Markovic D, Petrovic BB, Peric TO. **2008** Fluoride content and recharge ability of five glassionomer dental materials. BMC Oral Health 21–8.
2. Naasan M. A, Watson T. F. **1998**,Conventional glass ionomers as posterior restorations. A status report for the *American Journal of Dentistry*.;11(1):36–45.
3. Belli S, Unlu N, Ozer F. **2001** Bonding strength to two different surfaces of dentin under simulated pulpal pressure. *J Adhes Dent* 145–52.
4. Inoue S, Van Meerbeek B, Abe Y, Yoshida Y, Lambrechts P, Vanherle G, **2001** Effect of remaining dentin thickness and the use of conditioner on micro-tensile bond strength of a glass-ionomer adhesive. *Dent Mater* 445–55.
5. Perdigao J, Lambrechts P, Van Meerbeek B, Vanherle G, Lopes AL. **1995** Field emission SEM comparison of four postfixation drying techniques for human dentin. *J Biomed Mater Res* 1111–20.
6. Van Meerbeek B, Yoshida Y, Lambrechts P, Vanherle G, Duke ES, Eick JD, **1998** A TEM study of two water-based adhesive systems bonded to dry and wet dentin. *J Dent Res* 50–9.
7. Mitra SB. **1991** Adhesion to dentin and physical properties of a light-cured glass-ionomer liner/base. *J Dent Res* 72–4.
8. Titley KC, Smith DC, Chernecky R. SEM **1996** Observations of the reactions of the components of a light-activated glass polyalkenoate (ionomer) cement on bovine dentine. *J Dent Res*. 411–6.
9. Coutinho E, Yoshida Y, Inoue S, Fukuda R, Snauwaert J, Nakayama Y, **2007** Gel phase formation at resin-modified glass-ionomer/tooth interfaces. *J Dent Res* 656–61.
10. Yiu CK, Tay FR, King NM, Pashley DH, Sidhu SK, Neo JC, **2004** . Interaction of glass-ionomer cements with moist dentin. *J Dent Res* 283–9.
11. Coutinho E, Van Landuyt K, De Munck J, Poitevin A, Yoshida Y, Inoue S, **2006** Development of a self-etch adhesive for resin-modified glass ionomers. *J Dent Res* 349–53.

12. De Munck J, Van Meerbeek B, Yoshida Y, Inoue S, Suzuki K, Lambrechts P. **2004** Four-year water degradation of a resin-modified glass-ionomer adhesive bonded to dentin. *Eur J Oral Sci* 73–83.
13. Lambrechts P, Debels E, Van Landuyt K, Peumans M, Van Meerbeek B. **2006** How to simulate wear? Overview of existing methods. Dent Mater 693–701.
14. Sidhu SK, Watson TF. **1998** Interfacial characteristics of resin-modified glass-ionomer materials: a study on fluid permeability using confocal fluorescence microscopy. *J Dent Res* 1749–59.
15. Watson TF, Pagliari D, Sidhu SK, Naasan MA. **1998** Confocal microscopic observation of structural changes in glass-ionomer cements and tooth interfaces. *Biomaterials* 581–8.
16. Sidhu SK, Pilecki P, Cheng PC, Watson TF. **2002** The morphology and stability of resin-modified glass-ionomer adhesive at the dentin/resin-based composite interface. *Am J Dent* 129–36.
17. Sidhu SK, Sherriff M, Watson TF. **1999** Failure of resin-modified glass-ionomers subjected to shear loading. *J Dent* 373–81.
18. Hewlett E R, Caputo AA, Wrobel DC. **1991** Glass ionomer bond strength and treatment of dentin with polyacrylic acid. *J Prosthet Dent* 767–72.
19. Peutzfeldt A, Asmussen E.**1990** Effect of polyacrylic acid treatment of dentin on adhesion of glass ionomer cement. *Acta Odontol Scand* 337–41.
20. Tyler MW, Fitzgerald M, Dennison JB, Heys DR.**1994** The effect of pulpal fluid flow on tensile bond strength of a glass-ionomer cement: an in vivo and in vitro comparison. *Oper Dent* 116-20
21. Inoue S, Abe Y, Yoshida Y, De Munck J, Sano H, Suzuki K ,**2004** Effect of conditioner on bond strength of glass-ionomer adhesive to dentin/enamel with and without smear layer interposition. *Oper Dent* 685–92.
22. Anthony R. W. **2007**, *Solid State Chemistry & It's Applications*, Wiley, India Edition,
23. Pinet,O Cachia,J N Schuller,S . Deschanels,X **2005** *Optimizing the redox state of nuclear containment glass to enhance the process and material performance*, Global Tsukuba, Japan,.

24. Volf M B **1984**, *Chemical Approach to Glass, Glass Science and Technology*, *Elsevier*, 252-228
25. . PlessersJ Faber,A J Tonthat,T Laimböck,P Rapidox A **1997** *New tool for redox measurements in glass samples: measuring system, results and applications*, in: 58th Conference on Glass Problems, Urbana, Illinois, USA,
26. Billington RW, Williams JA, Pearson GJ. **1992** Glass ionomer as a rechargeable reservoir for physiologically active ions. Transactions of the Fourth World *Biomaterials Congress, Berlin*, p. 213.
27. Williams JA, Billington RW, Pearson GJ. **1996** Retention and release of ions from a glass ionomer matrix. Transactions of the Fifth World Biomaterials Congress, Toronto, vol. II, p. 762.
28. Hadley P, Billington RW, Pearson GJ. **1999** E!ect of monovalent ions in glass ionomer on their uptake and re-release. Biomaterials 891
29. Moroney MJ. **1978** *Facts from "gures. Harmondsworth, UK: Penguin Books,*. (Chapter 10), **40,** 139.
30. Hadley P, Milella E, Gerardi C, Hill R, Billington RW. **1998** Distribution of uoride in glass-ionomer cement determined using SIMS. *J Dent Res* 77:785